



MALABAR CANCER CENTRE

(POST GRADUATE INSTITUTE OF ONCOLOGY SCIENCES & RESEARCH)

(An autonomous body under Government of Kerala)

P.O. Moozhikkara, Thalassery
Kannur – 670 103, Kerala,
S. India.

Tel: 91 490 2355881(7 lines)

Fax: 91 490 2355880

E-mail: mcctly@gmail.com

No. MCC/389/2024/SUP-CL

February 13, 2026

Department of Engineering & Maintenance

QUOTATION NOTICE

Sealed quotations are invited for **False ceiling repairing work at Lab Block Passage** at Malabar Cancer Centre, Thalassery

Sl. No	Description	Qty&Unit	Rate	Amount
1	Dismantling aluminium / Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable surplus material and stacking of serviceable material with in 50 metres lead as directed by Engineer - in-Charge	73.50Sqm		
	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/ sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37 mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50 mm long with 6 mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the	16.50Sqm		

<p>perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25 mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5x25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound, jointing tapes, finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with: 12.5 mm thick tapered edge gypsum moisture resistant board</p>			
<p>O.D:Providing and fixing tiled false ceiling of department materials of size 595 x 595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections (galvanized @ 120 grams per sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main</p>	51.50Sqm		

<p>"T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x 1.6 mm fixed to ceiling with 12.5mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85x 30x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer -in-charge. GI Metal Ceiling Lay in plain Tegular edge Global white color tiles of size 595x595 mm, and 0.5 mm thick with 8 mm drop; made of GI sheet having galvanizing of 100 gms/sqm (both sides inclusive) and electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending</p>			
Total amount			
<p>Total Amount:(Rupees.....)</p>			

Terms and Conditions:

1. The quoted rate should be inclusive of all taxes, duties, transportation, loading, unloading of all materials at site and all labour charges. Excluding GST.
2. Materials to be used are as per specification and the same should be approved by the Engineer-in charge of the work..
3. Payment will be made only after completion of work and submission of bills by A/c payee cheque. The Bill shall be prepared as per as per site measurements of works actually done.
4. Any damage or loss to MCC property while executing the work, the same should be made good after making necessary repair/replacement works at contractor’s own expense. In case, fails to make good the damage/loss then the work will be got executed by MCC by other agencies at your risk and cost, the expense incurred for the same will be recovered from the contractor otherwise MCC will cancel the permission of this work.
5. The agency should complete the work within **2 weeks** from the date of award of contract.
6. Contractor shall take all safety precautions to avoid accidents during execution and also responsible for all damages and accidents caused due to negligence.
7. No hindrance shall be caused for the normal working of the hospital during the execution of above work.
8. Contractors will have to comply with the security restrictions enforced by Malabar Cancer Centre. The directions issued by MCC should be strictly followed by the labours so as to ensure minimum disturbance to the hospital functioning.

The envelopes containing the quotation should bear the superscription “**False ceiling repairing work at Lab Block Passage**” and should be addressed to **Director, Malabar cancer centre, Moozhikkara (PO), Thalassery, Kannur - 670103, Kerala, India**. Intending tenderers/quotationers may submit the quotation on their own papers.

The sealed quotations should be submitted in the **Tender box kept in the Purchase Division** of Malabar Cancer Centre. The Submission of quotation by other means will not be accepted.

Last date for receipt of quotations is **20-02-2026 at 3 P.M.** Late quotations will not be accepted. The quotations will be opened at **3.30 P.M on 20-02-2026** in the presence of such of the Quotationers or their authorized representatives who may be present at that time.

Details of the quotation and the conditions etc. can be obtained free on request from **Department of Engineering & maintenance, Malabar Cancer Centre, till 20-02-2026 at 1 P.M, Phone: 0490-2399226**

**Sd/-
DIRECTOR**

Copy to: 1) *Notice Board in MCC*
2) *Official Website*